

Choose Chart

		Metric (mm)			Weight	ISO-L8R430	ISO-L8R200	ISO-L8R155	ISO-L8R130	MOD-AL
Manufacturer	Model	Height	Width	Depth	Kg	17x9"	7.8X10"	6.10X7.5"	5.1X6"	
Adam	A3X	254.0	152.4	190.5	8.7				•	
Adam	A5X	279.4	165.1	215.9	6.6			•		
Adam	A7X	342.9	203.2	279.4	9.2		•	•		
Adam	A8X	393.7	254.0	317.5	13.0		•			
Adam	A77X	235.0	530.0	280.0	12.8	•				
Adam	F5	292.1	190.5	228.6	6.8			•		
Adam	F7	317.5	228.6	266.7	9.0		•			
Adam	SubF	350.0	250.0	341.0	9.9		S			
Adam	Sub7	370.0	200.0	280.0	8.0		S			
Adam	Sub8	410.0	260.0	380.0	12.0		S			
Adam	Sub10 Mk2	560.0	300.0	400.0	21.0		S			
Adam	Sub12	600.0	360.0	450.0	26.0		S			
Adam	Sub15	635.0	470.0	525.0	52.0					•
Adam	Sub2100	850.0	600.0	705.0	85.0					•
Adam	S1X	292.1	177.8	254.0	6.0			•		
Adam	S2X	368.3	215.9	317.5	10.8		•			
Adam	S3X-H	279.4	533.4	317.5	19.6	•	•	2		
Adam	S3X-V	482.6	279.4	292.1	15.4		•			
Adam	S4X-H	355.6	698.5	444.5	32.2	•	2			
Adam	S4X-V	685.8	355.6	444.5	35.6					•
Adam	S5X-H	700.0	700.0	473.0	63.4					•
Adam	S7A MK2	900.0	1200.0	670.0	261.0					•
Avantone	Mixcubes	165.1	165.1	208.3	4.0				•	
Alesis	M1 Active 320	188.0	127.0	165.1	2.3				•	
Alesis	M1 Active 520	266.7	165.1	198.1	5.9			•		
Alesis	M1 Active 520 USB	269.2	185.4	226.1	5.9			•		
Alesis	M1 Active 620	381.0	215.9	261.6	9.5		•	•		
Alesis	Monitor One mkII	381.0	215.9	254.0	6.8		•	•		
Alesis	Elevate 5	221.0	184.0	269.0	5.7			•		
ATC	SCM25A Pro	264.0	430.0	369.0	30.0	•				
ATC	SCM50ASL Pro	716.0	351.0	400.0	49.0					•
ATC	SCM100ASL Pro	832.0	398.0	581.0	65.0					•
ATC	SCM110ASL Pro	715.0	625.0	420.0	73.0					•
ATC	SCM150ASL Pro	884.0	498.0	568.0	75.0					•

² Denotes two stands per speaker

Choose Chart

		Metric (mm)			Weight	ISO-L8R430	ISO-L8R200	ISO-L8R155	ISO-L8R130	MOD-AL
Manufacturer	Model	Height	Width	Depth	Kg	17x9"	7.8X10"	6.10X7.5"	5.1X6"	
ATC	SCM200ASL Pro	830.0	730.0	440.0	116.0					•
ATC	SCM300ASL Pro	884.0	925.0	460.0	140.0					•
Barefoot	MicroMain35 Gen2	362.0	241.0	394.0	20.0		•			
Barefoot	MicroMain27 Gen2	521.0	241.0	394.0	31.0		•			
Barefoot	MiniMain12	660.0	366.0	556.0	54.0					•
Behringer	MS20	238.8	152.4	188.0	3.6				•	
Behringer	MS40	279.4	172.7	243.8	4.9			•		
Behringer	B1030A	288.0	198.0	280.0	5.5			•		
Behringer	B2030A	317.0	214.0	211.0	9.8			•		
Behringer	B2031a	401.3	248.9	289.6	15.0		•			
Behringer	B3030A	315.0	215.0	210.0	10.0			•		
Behringer	B3031A	400.0	250.0	290.0	15.0		•			
Behringer	C50A	165.0	165.0	197.0	3.5				•	
Behringer	C5A	165.0	165.0	200.0	3.3				•	
Centrance	MasterClass 2504	207.0	145.0	230.0	2.9				•	
Dynaudio	BM5A	259.1	170.2	236.2	7.0			•		
Dynaudio	BM5A MkII	317.5	185.4	317.5	8.7			•		
Dynaudio	BM Compact MkIII	259.1	170.2	193.0	5.4			•		
Dynaudio	BM5 MkIII	320.0	186.0	280.0	7.7			•		
Dynaudio	BM6 MkIII	334.0	202.0	380.0	11.0		•			
Dynaudio	BM12 MkIII	370.0	234.0	380.0	12.5		•			
Dynaudio	BM6A	337.8	215.9	320.0	11.0		•			
Dynaudio	DBM50	348.0	231.1	335.3	7.2		•			
Dynaudio	BM9S	289.6	294.6	317.5	10.0		S			
Dynaudio	BM14S	350.0	350.0	369.5	21.0		S			
Dynaudio	BM12A	370.8	233.7	327.7	12.1		•			
Dynaudio	BM15A	454.7	289.6	386.1	19.1		•			
Dynaudio	AIR6	337.8	215.9	345.4	9.9		•			
Dynaudio	AIR12	386.1	238.8	378.5	12.9		•			
Dynaudio	AIR15	424.2	274.3	393.7	15.6		•			
Dynaudio	AIR20	574.0	309.9	393.7	28.2		•			
Dynaudio	AIR25	508.0	533.4	449.6	45.8		2			•
Dynaudio	M3VE	775.0	555.0	505.0	65.0					•
Dynaudio	M3XE	775.0	555.0	505.0	65.0					•

² Denotes two stands per speaker

Choose Chart

		Metric (mm)			Weight	ISO-L8R430	ISO-L8R200	ISO-L8R155	ISO-L8R130	MOD-AL
Manufacturer	Model	Height	Width	Depth	Kg	17x9"	7.8X10"	6.10X7.5"	5.1X6"	
Emotiva	Airmotiv 4s	242.0	160.0	191.0	6.3				•	
Emotiva	Airmotiv 5s	277.0	181.0	213.0	7.7			•		
Emotiva	Airmotiv 6s	340.0	214.0	286.0	13.4		•			
Emotiva	Stealth 6	330.2	254.0	292.0	11.8		•			
Emotiva	Stealth 8	420.0	305.0	380.0	19.0		•			
Eve Audio	SC204	228.6	144.8	193.0	3.8				•	
Eve Audio	SC205	274.3	175.3	231.1	5.0			•		
Eve Audio	SC207	327.7	213.4	279.4	8.0		•			
Eve Audio	SC208	388.6	254.0	327.7	10.9		•			
Eve Audio	SC305	425.0	180.0	250.0	8.5					
Eve Audio	SC307	215.0	500.0	310.0	12.4	•				
Eve Audio	SC407	260.0	600.0	320.0	18.0	•				
Eve Audio	SC408	330.0	710.0	440.0	29.5					•
Eve Audio	SC3010	580.0	380.0	440.0	37.0					•
Eve Audio	SC3012	650.0	435.0	490.0	44.0					•
Event	Opal	449.6	294.6	274.3	21.2		•			
Event	2030	500.4	434.3	414.0	14.5	•				
Event	20/20BAS	375.9	259.1	299.7	17.0		•			
Focal	Alpha 50	313.0	220.0	258.0	7.3		•	•		
Focal	Alpha 65	348.0	252.0	309.0	9.4		•			
Focal	Alpha 80	397.0	287.0	348.0	12.8		•			
Focal	CMS40	238.0	154.9	154.9	5.0				•	
Focal	CMS50	289.6	190.5	200.7	7.7			•		
Focal	CMS65	368.3	241.3	231.1	10.4			•		
Focal	CMS Sub	434.3	365.8	439.4	23.0		S			
Focal	Solo6 Be	330.2	238.8	289.6	11.0		•	•		
Focal	Twin6 Be	248.9	500.4	340.4	14.0	•	2	2		
Focal	SM9	325.1	497.8	396.2	34.9	•	2	2		
Fostex	PM04n	221.0	144.8	180.3	3.8				•	
Fostex	PM05n	279.4	180.3	259.1	6.5			•		
Fostex	PM641	376.0	249.0	290.0	11.4		•			
Fostex	PM841	432.0	270.0	290.0	13.4		•			
Fostex	PM SUBn	302.3	299.7	363.2	11.4		S			
Genelec (w/o Iso-Pod)	8020C	230.0	151.0	142.0	3.7				•	

² Denotes two stands per speaker

Choose Chart

		Metric (mm)			Weight	ISO-L8R430	ISO-L8R200	ISO-L8R155	ISO-L8R130	MOD-AL
Manufacturer	Model	Height	Width	Depth	Kg	17x9"	7.8X10"	6.10X7.5"	5.1X6"	
Genelec (w/o Iso-Pod)	8030B	285.0	189.0	178.0	5.6				•	
Genelec (w/o Iso-Pod)	8040A	431.8	284.5	276.9	12.7			•		
Genelec (w/o Iso-Pod)	8050A	431.8	284.5	276.9	14.5			•		
Genelec (w/o Iso-Pod)	8240A	350.0	236.2	223.5	9.4			•		
Genelec (w/o Iso-Pod)	8250A	433.0	284.5	276.9	14.5			•		
Genelec (w/o Iso-Pod)	8260A	593.0	355.6	345.4	27.2		•			
Genelec	M030	254.0	190.5	190.5	4.0			•		
Genelec	1032A	495.3	320.0	297.2	21.8		•			
Genelec	1037C	680.0	400.0	380.0	37.0					•
Genelec	1038B	810.0	480.0	420.0	60.0					•
Genelec	1038CF	610.0	470.0	235.0	42.0	•				
Genelec	1038BC	350.0	950.0	453.0	60.0					•
Genelec	1237A	680.0	400.0	380.0	38.0					•
Genelec	1238A	810.0	480.0	420.0	57.0					•
Genelec	1238CF	610.0	470.0	235.0	39.0	•				
Genelec	1036A	960.0	1180.0	650.0	182.0					•
Genelec	1039A	820.0	1050.0	550.0	115.0					•
Genelec	1034BC	489.0	1210.0	412.0	84.0					•
Genelec	1034B	700.0	890.0	383.0	73.0					•
Genelec	1035B	820.0	1105.0	775.0	142.0					•
JBL	LSR2325P	302.3	188.0	254.0	7.3			•		
JBL	LSR2328P	396.2	254.0	335.3	12.7		•			
JBL	LSR305	298.0	238.0	251.0	4.6			•		
JBL	LSR308	419.0	254.0	308.0	8.6		•			
JBL	LSR310S	448.0	381.0	398.0	15.6		S			
JBL	LSR4326P	388.6	236.2	261.6	12.7		•			
JBL	LSR4328P	439.4	266.7	269.2	13.2		•			
JBL	LSR6312SP	393.7	635.0	292.1	22.7	•	2			
JBL	LSR6325P-1	269.0	173.0	241.0	7.7			•		
JBL	LSR6328P	406.0	330.0	325.0	17.7		•			
JBL	LSR6332	635.0	394.0	292.0	20.4		•	2		
JBL	M2	1256.0	508.0	356.0	58.5		2			•
KEF	LS50	302.0	200.0	278.0	7.2			•		
KEF	X300A	280.0	180.0	215.0	7.5			•		

² Denotes two stands per speaker

Choose Chart

		Metric (mm)			Weight	ISO-L8R430	ISO-L8R200	ISO-L8R155	ISO-L8R130	MOD-AL
Manufacturer	Model	Height	Width	Depth	Kg	17x9"	7.8X10"	6.10X7.5"	5.1X6"	
KRK	Rokit 5	276.9	185.4	226.1	6.3			•		
KRK	Rokit 6	322.6	226.1	266.7	8.9			•		
KRK	Rokit 8	381.0	264.2	330.2	11.8		•			
KRK	Rokit 10-3	538.5	322.6	363.2	20.9		•			
KRK	R6	322.6	226.1	317.5	7.0		•			
KRK	VXT 4	256.5	185.4	177.8	6.4				•	
KRK	VXT 6	368.3	261.6	243.8	12.2			•		
KRK	VXT 8	439.4	317.5	302.3	18.6		•			
KRK	Expose	490.2	421.6	355.6	34.0		•			
KRK	10s	381.0	355.6	408.9	18.2		S			
KRK	12s	460.0	405.0	575.0	30.1					•
KRK	12sHO	508.0	508.0	571.5	49.8					•
M-Audio	BX5a	248.9	175.3	200.7	5.0			•		
M-Audio	BX8a	381.0	254.0	304.8	12.0		•			
M-Audio	DSM1	325.1	228.6	261.6	7.5			•		
M-Audio	DSM2	386.1	256.5	269.2	9.1		•			
M-Audio	CX5	304.8	190.5	228.6	8.6			•		
M-Audio	CX8	431.8	279.4	330.2	10.0		•			
M-Audio	Studiophile AV30	200.7	134.6	160.0	5.3				•	
M-Audio	Studiophile AV40	223.5	152.4	185.4	6.4				•	
M-Audio	EX66	482.6	210.8	241.3	11.2			•		
M-Audio	Studio Pro3	200.7	139.7	149.9	4.0				•	
M-Audio	M3-6	381.0	233.7	231.1	10.5		•			
M-Audio	M3-8	434.0	268.0	285.0	12.8		•			
Mackie	MR5	292.1	198.1	266.7	6.5			•		
Mackie	MR8	406.4	276.9	345.4	12.5		•			
Mackie	MR5mk2	292.1	198.1	269.2	6.5			•		
Mackie	MR8mk2	398.8	276.9	330.2	12.5		•			
Mackie	MR5mk3	287.0	198.1	276.9	5.5			•		
Mackie	MR6mk3	322.6	221.0	304.8	7.2		•			
Mackie	MR8mk3	401.3	276.9	335.3	10.8		•			
Mackie	HR624mk2	332.7	218.4	261.6	10.6			•		
Mackie	HR824mk2	426.7	274.3	289.6	15.7		•			
Neumann	KH 120 A	277.0	182.0	220.0	6.4			•		

² Denotes two stands per speaker

Choose Chart

		Metric (mm)			Weight	ISO-L8R430	ISO-L8R200	ISO-L8R155	ISO-L8R130	MOD-AL
Manufacturer	Model	Height	Width	Depth	Kg	17x9"	7.8X10"	6.10X7.5"	5.1X6"	
Neumann	KH 120 D	277.0	182.0	220.0	6.5			•		
Neumann	O300D	254.0	383.5	289.6	13.6		•	2		
Neumann	KH 310 A	253.0	383.0	292.0	13.0		•	2		
Neumann	KH 870	735.0	330.0	645.0	47.1		2			
PMC	twotwo•5	296.0	155.0	295.0	5.5			•		
PMC	twotwo•6	406.0	194.0	364.0	8.4			•		
PMC	twotwo•8	500.0	250.0	415.0	12.2		•			
PreSonus	Eris E5	259.1	177.8	193.0	4.6			•		
PreSonus	Eris E8	383.5	248.9	297.2	10.1		•			
PreSonus	Sceptre S6	304.8	228.6	243.8	8.2			•		
PreSonus	Sceptre S8	381.0	279.4	266.7	10.6		•			
Samson	Resolv A5	304.8	203.2	223.5	6.9			•		
Samson	Resolv A6	325.1	236.2	251.5	8.2			•		
Samson	Resolv A8	406.4	304.8	287.0	11.3		•			
Samson	MediaOne 3a	172.7	129.5	165.1	2.3				•	
Samson	MediaOne 4a	231.1	167.6	193.0	4.3			•		
Samson	MediaOne 5a	279.4	203.2	228.6	5.7			•		
Samson	Studio GT	231.1	167.6	193.0	4.3			•		
Sonodyne	SRP400	232.0	160.0	155.0	4.4				•	
Sonodyne	SRP500	279.0	210.0	181.0	6.8			•		
Sonodyne	SRP600	340.0	250.0	240.0	11.9		•			
Sonodyne	SRP800	434.0	291.0	280.0	17.0		•			
Sonodyne	SM50AK	261.6	180.3	221.0	6.5			•		
Sonodyne	SM100AK	335.3	231.1	299.7	10.5		•			
Sonodyne	SM200AK	429.3	315.0	322.6	18.0		•			
Sonodyne	SM300	299.7	508.0	294.6	24.9	•	2	2		
Sonodyne	C2501	190.0	450.0	245.0	8.9	•				
Tannoy	Reveal 501a	299.7	182.9	297.2	5.4			•		
Tannoy	Reveal 601a	340.4	210.8	271.8	7.9			•		
Tannoy	Reveal 601a	299.7	182.9	236.2	5.9			•		
Tannoy	Reveal 402	241.0	147.0	212.0	5.1				•	
Tannoy	Reveal 502	300	184	238	7.2			•		
Tannoy	Reveal 802	390.0	254.0	300.0	12.8		•			
Yamaha	NS-10M	215.9	381.0	198.1	6.4			•		

² Denotes two stands per speaker

Choose Chart

		Metric (mm)			Weight	ISO-L8R430	ISO-L8R200	ISO-L8R155	ISO-L8R130	MOD-AL
Manufacturer	Model	Height	Width	Depth	Kg	17x9"	7.8X10"	6.10X7.5"	5.1X6"	
Yamaha	HS50M	269.2	165.1	221.0	5.8			•		
Yamaha	HS80M	391.2	248.9	332.7	11.3		•			
Yamaha	HS5	285.0	170.0	222.0	11.7			•		
Yamaha	HS7	332.0	210.0	284.0	8.2			•		
Yamaha	HS8	390.0	250.0	334.0	10.2		•			
Yamaha	MSP3	236.2	144.8	167.6	4.4				•	
Yamaha	MSP5	279.4	180.3	208.3	7.9			•		
Yamaha	MSP7	330.2	218.4	236.2	12.5			•		
Yamaha	SW10	459.0	328.0	476.0	28.6					•
Yorkville	YSM2P-II	292.1	193.0	266.7	5.4			•		
Yorkville	YSM5	292.1	190.5	241.3	6.8			•		
Yorkville	YSM6	381.0	241.3	254.0	9.5			•		
Yorkville	YSM8	420.0	250.0	270.0	12.7		•			
Yorkville	YSM1P-II	416.6	243.8	284.5	11.3		•			

² Denotes two stands per speaker